

RAD SMART SOCKETS™

**Instant torque read-out of your live application!
Strain gauge technology measures torque applied to bolt. Patented Product.**

The RAD Smart Sockets™ use RAD Torque's transducer technology combined with a custom socket to measure the actual torque applied to the bolt during a torque cycle. By innovative design, the Smart Sockets™ is no larger than a standard socket. Its compact size and innovative technology makes the Smart Sockets™ a perfect audit tool for inspecting bolted joints and it can function as a master calibration for various torque tools.



- Measures and displays peak torque
- Full data collection - export to email by PDF, XLS, CSV
- View in real time via Bluetooth onto your smartphone or tablet
- Transducer accuracy of +/-1%



PART NUMBER	SMART SOCKET MODEL	TORQUE (Nm)		DRIVE SIZE	WEIGHT (Kg)	DIMENSION (mm)	
		LOW	HIGH			HEIGHT	DIAMETER
20879	33mm SMART SOCKET™	200	2000	3/4"	1.2	100	72
21363	36mm SMART SOCKET™	200	2000	1"	1.2	100	72
22158	41mm SMART SOCKET™	200	2000	1"	1.2	87	72
20880	46mm SMART SOCKET™	200	2000	1"	1.2	87	72
20881	50mm SMART SOCKET™	400	4000	1"	1.5	89	86
20882	55mm SMART SOCKET™	400	4000	1"	1.5	89	86
20883	60mm SMART SOCKET™	400	4600	1"	1.5	89	86
23690	65mm SMART SOCKET™	1100	10800	1.5"	4.0	121	115
20884	70mm SMART SOCKET™	1100	10800	1.5"	4.0	121	115
20885	80mm SMART SOCKET™	1100	10800	1.5"	4.0	121	115
25657	90mm SMART SOCKET™	1600	16000	1.5"	5.8	130	115
25658	100mm SMART SOCKET™	1600	16000	1.5"	7.2	146	120